
		FIBREGLASS		
		Part No	Size (mm)	Price
 <p><b>Specifications</b></p> <p>MATERIAL: PVC Coated Fibreglass            WEAVE(Strands/inch): 18 x 14            STRAND DIAMETER (mm): 0.25            APERTURE (mm): 1.16 x 1.56            OPENESS: 71%</p>		<b>FGM610</b>	610mm x 50m	\$
		<b>FGM760</b>	760mm x 50m	\$
		<b>FGM810</b>	810mm x 50m	\$
		<b>FGM910</b>	910mm x 50m	\$
		<b>FGM1220</b>	1220mm x 50m	\$
		<b>FGM1530</b>	1530mm x 50m	\$
		<b>FGM1830</b>	1830mm x 50m	\$

**INSECT PROTECTION**  
 HOLE SIZE: 1.16 X 1.56MM


**CLEAR VIEW**

**AIRFLOW**  
 OPENNESS FACTOR: 71%

**STRENGTH**  
 TENSILE STRENGTH: 245N/MM<sup>2</sup>





# ALUMINIUM MESH


	Part No	Size (mm)	Price
	<b>AFW760</b>	760mm x 50m	\$
	<b>AFW910</b>	910mm x 50m	\$
	<b>AFW1220</b>	1220mm x 50m	\$
	<b>AFW1530</b>	1530mm x 50m	\$


**Specifications**


MATERIAL: Aluminium  
WEAVE(Strands/inch): 18 x 15  
STRAND DIAMETER (mm): 0.25  
APERTURE (mm): 1.16 x 1.44  
OPENESS: 70%



  
HOLE SIZE: 1.16 X 1.44MM




  
OPENESS FACTOR: 69%

  
TENSILE STRENGTH: 220N/MM²





# TUFFSCREEN (Aluminium Heavy Duty)


	Part No	Size (mm)	Price
	<b>TM910</b>	910mm x 15m	\$
	<b>TM1200</b>	1200mm x 15m	\$


**Specifications**


MATERIAL: Aluminium  
WEAVE(Strands/inch): 14 x 14  
STRAND DIAMETER (mm): 0.40  
APERTURE (mm): 1.41 x 1.41  
OPENESS: 61%



  
HOLE SIZE: 1.41 X 1.41MM





  
OPENESS FACTOR: 61%


  
TENSILE STRENGTH: 220N/MM²




## PRIMVIEW (304 Stainless Steel)


	Part No	Size (mm)	Price
 <p><b>Specifications</b></p> <p>MATERIAL: Stainless Steel 304 WEAVE(Strands/inch): 18 x 18 STRAND DIAMETER (mm): 0.15 APERTURE (mm): 1.25 x 1.25 OPENESS: 78%</p>	SSF910	910mm x 30m	\$
	SSF1200	1200mm x 30m	\$
	SSF1520	1500mm x 30m <i>Available on request</i>	\$






HOLE SIZE: 1.25 X 1.25MM






OPENESS FACTOR: 78%



TENSILE STRENGTH: 720N/MM<sup>2</sup>






## EMBER GUARD (304 Stainless Steel)

	Part No	Size (mm)	Price
 <p><b>Specifications</b></p> <p>MATERIAL: Stainless Steel 304 WEAVE(Strands/inch): 14 x 14 STRAND DIAMETER (mm): 0.20 APERTURE (mm): 1.59 x 1.59 OPENESS: 77%</p>	EG910	910mm x 30m	\$
	EG1200	1200mm x 30m	\$


**Key benefits:**


- Easy to roll in and work with
- High visibility for BAL-FZ
- Can be used in any fire zone or costal area




HOLE SIZE: 1.59 X 1.59MM







OPENESS FACTOR: 77%



TENSILE STRENGTH: 750N/MM<sup>2</sup>





# MINIWEAVE

		Part No	Size (mm)	Price
		MM910	910mm x 30m	\$
		MM1200	1200mm x 30m	\$
<p><b>Specifications</b></p> <p>MATERIAL: PVC coated fibreglass  WEAVE(Strands/inch): 18 x 30  STRAND DIAMETER (mm): 0.27  APERTURE (mm): 1.14 x 0.58  OPENESS: 55%</p>				








# ALLERGY GUARD

		Part No	Size (mm)	Price
		AG910	910mm x 6m	\$
		AG1200	1200mm x 6m	\$
<p><b>Specifications</b></p> <p>MATERIAL: 75 Denier Polyester  WEAVE: Double Knitted  STRAND DIAMETER (mm): 0.03  APERTURE (mm): Closed-Surface  OPENESS: -</p>		<p><b>Key benefits:</b></p> <ul style="list-style-type: none"> <li>• Blocks 90% of dust &amp; airborne allergens</li> <li>• Special weave acts like a filter</li> <li>• High privacy</li> </ul> 		




## DURAVIEW

		Part No	Size (mm)	Price
 <p><b>Specifications</b></p> <p>MATERIAL: Biocomponent Monofilament WEAVE: 16 x 16 STRAND DIAMETER (mm): 0.38 APERTURE (mm): 1.21 x 1.21 OPENESS: 58%</p>		<b>DRM910</b>	910mm x 30m	\$
		<b>DRM1200</b>	1200mm x 30m	\$
		<b>DRM1830</b>	1830mm x 30m <i>Available on request</i>	\$
		   		



## PETMESH

		Part No	Size (mm)	Price
 <p><b>Specifications</b></p> <p>MATERIAL: Polyester WEAVE: 10 x 16 STRAND DIAMETER (mm): 0.66 APERTURE (mm): 1.88 x 0.93 OPENESS: 43%</p>		<b>PM910</b>	910mm x 30m	\$
		<b>PM1200</b>	1200mm x 30m	\$
		<b>PM1520</b>	1520mm x 30m <i>Available on request</i>	\$
		